



Scientific Food Testing Services (P) Ltd.

NABL Accredited & FSSAI Notified Laboratory

(FSSAI Reg. No.42/S/FSSAI/2016)



Certificate No:TC - 5936

TEST REPORT

ULR No:

TC5936	180	0	0	0	0	0	0	1	1	4	F
--------	-----	---	---	---	---	---	---	---	---	---	---

Date : 12.10.2018

Page 1 of 1

CUSTOMER DETAILS

Customer Name & Address : M/s. Kay & Sid Corporation,
No:54 A, South West Boag Road,
T. Nagar,
Chennai – 600 017.

Customer Reference : Test Request dated 09.10.2018

SAMPLE DETAILS

Sample Code	: 18000000114	Sampled by	: Customer
Sample Name	: Milk	Sampled on	: --
Sample Description	: Cow Milk	Sampling Location	: --
Identification by Customer	: --	Sampling Procedure	: --
Sample Condition	: Good	Sample Received on	: 09.10.2018
Test Started on	: 10.10.2018	Test Completed on	: 11.10.2018

TEST RESULTS

Sl. No.	Test Parameter	Test Method	Results	Unit
1	Milk Fat	FSSAI Lab Manual, Milk and Milk Products,2016, 1.3.4.2 pp 41-43	4.29	g/100g
2	Milk Protein (Nx6.38)	SFTS/FCL/SOP/002	3.22	g/100g
3	Solid Non Fat	FSSAI Lab Manual, Milk and Milk Products,2016, 15.2 p 138	8.51	g/100g
4	Test for Starch	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.2.1 p 11	Negative	--
5	Test for Urea	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.4.1 p 13	Negative	--
6	Test for Neutralizers	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.11.1 p 22	Negative	--
7	Test for Detergent	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.14 pp 26-27	Negative	--
8	Test for Glucose Dextrose	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.7 p 17	Negative	--
9	Test for Sodium Chloride	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.8 pp 18-19	Negative	--
10	Test for Hydrogen Peroxide	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.18 pp 29-30	Negative	--
11	Test for Mastitis	FAO, Food & Nutrition, p 1418, 1986	Negative	--
12	Test for Formaldehyde	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.17 pp 28-29	Negative	--
13	Test for Acidity	IS 1479(Part-1) : 1960	Negative	--

Remarks: --

End of Report



R. Ayyamperumal
R. Ayyamperumal
 Assistant Manager - Chemical
 Authorized Signatory



Scientific Food Testing Services (P) Ltd.

NABL Accredited & FSSAI Notified Laboratory

(FSSAI Reg. No.42/S/FSSAI/2016)



Certificate No:TC -5936

TEST REPORT

ULR No:

TC5936	180	0	0	0	0	0	1	1	5	F
--------	-----	---	---	---	---	---	---	---	---	---

Date : 12.10.2018

Page 1 of 1

CUSTOMER DETAILS

Customer Name & Address : **M/s. Kay & Sid Corporation,**
No:54 A, South West Boag Road,
T. Nagar,
Chennai – 600 017.

Customer Reference : Test Request dated 09.10.2018

SAMPLE DETAILS

Sample Code	: 18000000115	Sampled by	: Customer
Sample Name	: Milk	Sampled on	: --
Sample Description	: Buffalo Milk	Sampling Location	: --
Identification by Customer	: --	Sampling Procedure	: --
Sample Condition	: Good	Sample Received on	: 09.10.2018
Test Started on	: 10.10.2018	Test Completed on	: 11.10.2018

TEST RESULTS

Sl. No.	Test Parameter	Test Method	Results	Unit
1	Milk Fat	FSSAI Lab Manual, Milk and Milk Products,2016, 1.3.4.2 pp 41-43	6.22	g/100g
2	Milk Protein (Nx6.38)	SFTS/FCL/SOP/002	3.77	g/100g
3	Solid Non Fat	FSSAI Lab Manual, Milk and Milk Products,2016, 15.2 p 138	9.18	g/100g
4	Test for Starch	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.2.1 p 11	Negative	--
5	Test for Urea	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.4.1 p 13	Negative	--
6	Test for Neutralizers	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.11.1 p 22	Negative	--
7	Test for Detergent	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.14 pp 26-27	Negative	--
8	Test for Glucose Dextrose	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.7 p 17	Negative	--
9	Test for Sodium Chloride	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.8 pp 18-19	Negative	--
10	Test for Hydrogen Peroxide	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.18 pp 29-30	Negative	--
11	Test for Mastitis	FAO, Food & Nutrition, p 1418, 1986	Negative	--
12	Test for Formaldehyde	FSSAI Lab Manual, Milk and Milk Products,2016, 1.2.17 pp 28-29	Negative	--
13	Test for Acidity	IS 1479(Part-1) : 1960	Negative	--

Remarks: --

End of Report



R. Ayyamperumal
R. Ayyamperumal
 Assistant Manager - Chemical
 Authorized Signatory